Heegermaterials

SAFETY DATA SHEET

Version 6.5 Revision Date 08/27/2023 Print Date 12/23/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Potassium fluoride

CAS-No. : 7789-23-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Heeger Materials Inc.

230 Steele St Denver

CO 80206 United States

Telephone : +925-385-8104

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word	Danger
Hazard statement(s) H301 + H311 + H331 H318	Toxic if swallowed, in contact with skin or if inhaled. Causes serious eye damage.
Precautionary statement(s) P261 P264 P270 P271 P280	Avoid breathing dust. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face
P301 + P310 + P330	protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/doctor if you feel unwell.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P362 P403 + P233 P405 P501	Take off contaminated clothing and wash before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal

Hazards not otherwise classified (HNOC) or not covered by GHS 2.3

plant.

Strong hydrogen fluoride-releaser

SECTION 3: Composition/information on ingredients

3.1 **Substances**

TON 3: Composition/information on ingredients							
Substances Formula	: FK	1121					
Molecular weight CAS-No.	: 58.10 g/mol : 7789-23-3	ais I.					
EC-No. Index-No.	: 232-151-5 : 009-005-00-2						
Component	. 009-003-00-2	Classification	Concentration				
potassium fluoride							
		Acute Tox. 3; Eye Dam. H301, H331, H311, H31	= -				

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Hydrogen fluoride

Potassium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 **Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 **Environmental precautions**

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. aterials inc Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

hygroscopic Store under inert gas. Do not store in glass

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

ingicalcits with workplace control parameters						
Component	CAS-No.	Value	Control	Basis		
			parameters			
potassium fluoride	7789-23-3	TWA	2.5 mg/m3	USA. Occupational Exposure		
				Limits (OSHA) - Table Z-1		
				Limits for Air Contaminants		
		TWA	2.5 mg/m3	USA. ACGIH Threshold Limit		
				Values (TLV)		
	Remarks	Not classifiable as a human carcinogen				
		PEL	2.5 mg/m3	California permissible exposure		
				limits for chemical		
				contaminants (Title 8, Article		
				107)		

Biological occupational exposure limits

Diological occupational exposure mines							
Component	CAS-No.	Parameters	Value	Biological specimen	Basis		
potassium fluoride	7789-23-3	Fluoride	2 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)		
	Remarks	Prior to shift	(16 hours after exposure ceases)				
		Fluoride	3 mg/l	Urine V	ACGIH - Biological Exposure Indices (BEI)		
		End of shift (As soon as possible after exposure ceases)					

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to Irals Inc the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Form: powder a) Appearance

Color: white

b) Odor odorless

c) Odor Threshold Not applicable

d) pH 8 - 9 at 50 g/l at 20 °C (68 °F)

e) Melting Melting point/range: 858 °C (1576 °F) - lit.

point/freezing point

Initial boiling point 1,505 °C 2,741 °F at 1,013 hPa f)

and boiling range

g) Flash point ()Not applicable No data available Evaporation rate Flammability (solid, No data available i)

gas)

j)

No data available

Upper/lower flammability or explosive limits

k) Vapor pressure 1.3 hPa at 885 °C (1625 °F)

No data available Vapor density

m) Density 2.48 g/cm3 at 25 °C (77 °F)

Relative density 2.4922 °C

n) Water solubility 923 g/l at 18 °C (64 °F) - completely soluble

log Pow: -0.77 - (Lit.), Bioaccumulation is not expected. o) Partition coefficient:

n-octanol/water

No data available p) Autoignition temperature

Decomposition No data available temperature

No data available Viscosity r) Explosive properties No data available

Oxidizing properties none

Other safety information 9.2

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Materials Inc. The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with: Strong oxidizing agents acids

10.4 Conditions to avoid

Reacts dangerously with glass. no information available

10.5 Incompatible materials

glass

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 25 - 2,000 mg/kg

(OECD Test Guideline 401) Symptoms: tissue damage

LC50 Inhalation - Rat - male and female - 4 h - 1 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium fluoride

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(US-EPA)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium fluoride

Dermal: (Regulation (EC) No 1272/2008, Annex VI)

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

Remarks: (in analogy to similar products)

Serious eye damas. Remarks: Risk of corneal clouding. Respiratory or skin sensitization Pushler Test - Guinea pig

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium fluoride Inc.

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Metabolic activation: without metabolic activation

Result: negative

Remarks: (in analogy to similar products)

(ECHA)

The value is given in analogy to the following substances: sodium fluorideTest Type: Ames

test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium fluoride Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: US-EPA Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium fluoride

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 24 Months - NOAEL (No observed adverse effect level) - 25 mg/kg - LOAEL (Lowest observed adverse effect level) - 4 mg/kg Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium fluoride

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia. Salivation, Nausea, Vomiting, Abdominal pain, Fever, Irregular breathing., Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia., perforation of the nasal septum, calcium deposits in the ligaments, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Inhalation may provoke the following symptoms:, spasm, inflammation and edema of the bronchi, spasm, inflammation and edema of the larynx

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Convulsions Unconsciousness Cardiac irregularities respiratory arrest shock

After long-term exposure to the chemical:

Damage to:

Bone marrow

The following applies to soluble inorganic fluorides in general: may cause irritations to burns in contact with eyes, skin, mucous membranes. Systemic effect: drop in blood calcium level, agitation, spasms, cardiovascular disorders, CNS disorders.

This substance should be handled with particular care.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

No data available

Toxicity to daphnia static test NOEC - Daphnia magna (Water flea) - 3.7 mg/l - 21 d and other aquatic Remarks: (ECHA) invertebrates(Chronic toxicity)

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

isess. PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Harmful effect due to pH shift.

Forms toxic and corrosive mixtures with water even if diluted.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 1812 Class: 6.1 Packing group: III

Proper shipping name: Potassium fluoride, solid

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 1812 Class: 6.1 Packing group: III EMS-

No: F-A, S-A

Proper shipping name: POTASSIUM FLUORIDE, SOLID

IATA

UN number: 1812 Class: 6.1 Packing group: III

Proper shipping name: Potassium fluoride, solid

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of

the product. Heeger Materials Inc shall not be held liable for any damage resulting from handling or from contact with the above product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact sales@heegermaterials.com.

Version: 6.5 Revision Date: 08/27/2023 Print Date: 12/23/2023

Heeger Materials Inc.