Heegermaterials

Heeger Materials Inc. Safety Data Sheet Silicon Carbide

1. Product and Company Identification

Trade Name: Silicon carbide

Chemical Formula: SiC

Recommended Use: Scientific research and development

Manufacturer/Supplier: Heeger Materials Inc.

Address: 230 Steele St Denver

CO 80206 United States

Tel #: 925-385-8104

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Warning

H315 Causes skin irritation H319 Causes serious eye irritation

Precautionary Statements: P261 Avoid breathing dust/fume/vapor

P305+P351 If in eyes: Rinse cautiously with water for several minutes.

HMIS Health Ratings (0-4):

Hazard Statements:

Health: 1
Flammability: 0
Physical: 0

3. Composition

Chemical Family: Ceramic

Additional Names: Carborundrum, Moissanite

Silicon carbide (SiC):

Percentage: 100 wt% CAS #: 409-21-2 EC #: 206-991-8 4. First Aid Procedures

General Treatment: Seek medical attention if symptoms persist.

Special Treatment: None Important Symptoms: None

Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult. Ingestion: Give one to two glasses of water and induce vomiting. Never induce

vomiting or give anything by mouth to an unconscious person.

Skin: Wash affected area with mild soap and water. Remove any

contaminated clothing.

Eyes: Flush eyes with water, blinking often for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing

5. Fire and Explosion Hazards Data

Flammability: Non-flammable

Flash Point: N/A
Autoignition Temperature: N/A

Extinguishing Media: No special restrictions – use suitable extinguishing agent for

surrounding material and type of fire. Do not use water for metal fires –

use CO₂, sand, extinguishing powder.

Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective

clothing to prevent contact with skin and eyes.

6. Accidental Release Measures

If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in

special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal.

Take care not to raise dust.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions: Wash thoroughly after handling.

Storage Conditions: Store in a cool dry place in a tightly sealed container. Store apart from

materials and conditions listed in section 10.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before

eating and smoking. Do not blow dust off clothing or skin with

compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below

threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 5 mg/m³ as SiC, long term value Threshold Limit Value: 3 mg/m³ as SiC, non-fibrous

Special Equipment: None

Respiratory Protection:
Protective Gloves:

Dust Respirator
Rubber gloves

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics	
Color	Dark grey or green
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	2730 °C
Density:	3.22 g/cc
Molecular weight:	40.097 g/mol
	10. Reactivity
Stability:	Stable under recommended storage conditions
Reacts With:	Strong oxidizing agents
Incompatible Conditions:	Excess heat, Avoid dust formation
Hazardous Decomposition Products:	Carbon monoxide, Carbon dioxide, Metal oxide fume, Silicon dioxide
P	
	11. Toxicological Information
Potential Health Effects:	
Eyes:	May cause serious irritation
Skin:	May cause irritation
Ingestion:	Low absorption
Inhalation:	May cause irritation
Chronic:	N/A
Chronic: Signs & Symptoms:	' /
~-82 ** ~ J P ***	N/A
Aggravated Medical Conditions:	N/A
M. Con Laded Dece	LD50 Ox 12 2000 CM - Corest by more than
Median Lethal Dose:	LD50 Oral->2000 mg/kg for rat by mouth
Carcinogen:	An examination of 53 silicon carbide crushers showed 15 cases of
	pneumoconiosis in workers employed on the crushing, sieving and
	packing of silicon carbide have been reported
	1h
	12. Ecological Information
Ecological data is not available.	
	13. Disposal Considerations
Dispose of in accordance with local, state	e, national, and international regulations.
	14. Transportation Data
Hazardous:	14. Transportation Data Not hazardous for transportation.
	Not hazardous for transportation.
Hazard Class:	Not hazardous for transportation. N/A
Hazard Class: Packing Group:	Not hazardous for transportation. N/A N/A
Hazardous: Hazard Class: Packing Group: UN Number: Proper Shipping Name:	Not hazardous for transportation. N/A
Hazard Class: Packing Group: UN Number:	Not hazardous for transportation. N/A N/A N/A N/A
Hazard Class: Packing Group: UN Number: Proper Shipping Name:	Not hazardous for transportation. N/A N/A N/A N/A N/A
Hazard Class: Packing Group: UN Number:	Not hazardous for transportation. N/A N/A N/A N/A N/A 15. Regulatory Information

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 08/23/2023

