# Heegermaterials

## SAFETY DATA SHEET

Creation Date 24-Nov-2010 Revision Date 24-Dec-2021 Revision Number 5

1. Identification

Product Name Ammonium cerium(IV) nitrate

CAS No 16774-21-3

Synonyms Ceric ammonium nitrate; CAN

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Heeger Materials Inc. 230 Steele St Denver CO 80206, United States Tel: 925-385-8104

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

Ser Ma

CHEMTREC®, Outside the USA: 001-703-527-3887

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids
Category 2
Corrosive to metals
Category 1
Acute oral toxicity
Category 4
Skin Corrosion/Irritation
Category 1
Category 1
Category 1
Skin Sensitization
Category 1
Specific target organ toxicity (single exposure)
Category 3

Target Organs - Respiratory system.

## Label Elements

#### Signal Word

Danger

#### **Hazard Statements**

May intensify fire; oxidizer

May be corrosive to metals Harmful if swallowed Causes severe skin burns and eye damage May cause respiratory irritation May cause an allergic skin reaction



#### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Keep only in original container

## Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Inc.

## Ingestion

Rinse mouth

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Spills

Absorb spillage to prevent material damage

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

## Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Cerate(2-), hexakis(nitrato-O)-, diammonium,	16774-21-3	>95

(OC-6-11)-

## 4. First-aid measures

**General Advice** Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Eve Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention immediately if symptoms occur.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

> respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or

other proper respiratory medical device. Immediate medical attention is required.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink Ingestion

plenty of water. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes eye burns. Causes burns by all exposure routes. May cause allergic skin reaction. . Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: May cause

methemoglobinemia Treat symptomatically

**Notes to Physician** 

## 5. Fire-fighting measures

stant foar. Suitable Extinguishing Media CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

No information available **Unsuitable Extinguishing Media** 

**Flash Point** No information available Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available Lower No data available

Oxidizer **Oxidizing Properties** 

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

## **Hazardous Combustion Products**

Nitrogen oxides (NOx). Ammonia. Heavy metal oxides. Thermal decomposition can lead to release of irritating gases and vapors. **Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health Flammability Instability Physical hazards
3 3 3 OX

## 6. Accidental release measures

Personal Precautions
Environmental Precautions

Use personal protective equipment as required. Evacuate personnel to safe areas. Do not allow material to contaminate ground water system. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Soak up **Up** with inert absorbent material. Keep in suitable, closed containers for disposal.

## 7. Handling and storage

Handling

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from clothing and other combustible materials. Wash hands before breaks and immediately after handling the product.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Incompatible Materials. Acids. Bases. Cyanides. Metals. Reducing Agent. Finely powdered metals. Strong reducing agents. Combustible material.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Engineering Measures** 

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical State Powder Solid Appearance Orange pungent

Odor Threshold<br/>pHNo information available<br/>1 @ 20°C 50 g/l aq.sol

Melting Point/Range 107 - 108 °C / 224.6 - 226.4 °F

Boiling Point/Range No information available Flash Point No information available Evaporation Rate Not applicable

Flammability (solid,gas)

No information available
Flammability or explosive limits

Upper No data available

Lower No data available No information available **Vapor Pressure** 

**Vapor Density** Not applicable

No information available **Specific Gravity** Solubility No information available Partition coefficient; n-octanol/water No data available

**Autoignition Temperature** No information available **Decomposition Temperature** No information available

Not applicable Viscosity H8 Ce N8 O18 **Molecular Formula** 

**Molecular Weight** 548.22

## 10. Stability and reactivity

**Reactive Hazard** Yes

Stable under normal conditions. Oxidizer: Contact with combustible/organic material may Stability

cause fire. heat sensitive.

**Conditions to Avoid** Excess heat. Incompatible products. Combustible material.

Acids, Bases, Cyanides, Metals, Reducing Agent, Finely powdered metals, Strong reducing **Incompatible Materials** 

agents, Combustible material

Hazardous Decomposition Products Nitrogen oxides (NOx), Ammonia, Heavy metal oxides, Thermal decomposition can lead to

release of irritating gases and vapors

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

## **Acute Toxicity**

### **Product Information Component Information**

Acute Toxicity	7727							
Product Information Component Information		als )	<b>&gt;</b>					
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation					
Cerate(2-), hexakis(nitrato-O)-, diammonium, (OC-6-11)-	300-2000 mg/kg (Rat)	>2000 mg/kg ( Rat )	Not listed					

No information available **Toxicologically Synergistic** 

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Com	onent	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
hexakis(r diamn	te(2-), nitrato-O)-, nonium, 6-11)-	16774-21-3	Not listed				

IARC (International Agency for Research on Cancer) IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

**Mutagenic Effects** No information available

\_\_\_\_\_\_

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

delayed

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: May cause

methemoglobinemia

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

#### **Ecotoxicity**

Do not allow material to contaminate ground water system.

**Persistence and Degradability** May persist based on information available.

Bioaccumulation/ Accumulation No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No UN3085

**Proper Shipping Name** Oxidizing solid, corrosive, n.o.s.

Hazard Class 5.1 Packing Group II

TDG

UN-No UN3085

Proper Shipping Name Oxidizing solid, corrosive, n.o.s.

Hazard Class 5.1 Packing Group II

IATA

UN-No UN3085

**Proper Shipping Name** Oxidizing solid, corrosive, n.o.s.

Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group II

IMDG/IMO

**UN-No** UN3085

Proper Shipping Name Oxidizing solid, corrosive, n.o.s.

Hazard Class 5.1 Subsidiary Hazard Class 8

### **Packing Group**

## 15. Regulatory information

## United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Cerate(2-), hexakis(nitrato-O)-, diammonium, (OC-6-11)-	16774-21-3	Х	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

Not applicable TSCA 12(b) - Notices of Export

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cerate(2-), hexakis(nitrato-O)-,	16774-21-3	Х	-	240-827-6	Χ	Х	Χ	Х	Х	KE-09797
diammonium, (OC-6-11)-										

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## **U.S. Federal Regulations**

#### **SARA 313**

Component		CAS No	Weight %	SARA 313 - Threshold Values %	
Cerate(2-), hexakis(nitrato-O)-, diammonium, (OC-6-11)-		16774-21-3	>95	1.0	
SARA 311/312 Hazard Categories	See section 2	2 for more information	als >		
CWA (Clean Water Act)	Not applicable	le	1h		
Clean Air Act	Not applicable	le			
				_	

**OSHA** - Occupational Safety and

Health Administration

Not applicable

**CERCLA** Not applicable

This product does not contain any Proposition 65 chemicals. California Proposition 65

## U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Cerate(2-),	-	X	-	Х	-
hexakis(nitrato-O)-,					
diammonium, (OC-6-11)-					

## **U.S. Department of Transportation**

Reportable Quantity (RQ): Ν **DOT Marine Pollutant** Ν

## Ammonium cerium(IV) nitrate

DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Cerate(2-), hexakis(nitrato-O)-, diammonium, (OC-6-11)-	16774-21-3	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		Qualifying Quantities	Qualifying Quantities		
		for Major Accident	for Safety Report		
		Notification	Requirements		
Cerate(2-),	16774-21-3	Not applicable	Not applicable	Not applicable	Not applicable
hexakis(nitrato-O)-,					
diammonium, (OC-6-11)-	ヘフト				

## 16. Other information

 Creation Date
 24-Nov-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

**Revision Summary**This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**